

AFCO 1-7/8" COIL-OVER DIAMETER SPRINGS

10 Inch Springs

RATE	P/N
50	AFC29050-1
60	AFC29060-1
75	AFC29075-1
90	AFC29090-1
105	AFC29105-1
120	AFC29120-1
135	AFC29135-1
150	AFC29150-1
175	AFC29175-1
200	AFC29200-1
225	AFC29225-1
250	AFC29250-1

10 Inch Springs

RATE	P/N
275	AFC29275-1
300	AFC29300-1
325	AFC29325-1
350	AFC29350-1
375	AFC29375-1
400	AFC29400-1
425	AFC29425-1
450	AFC29450-1
475	AFC29475-1
500	AFC29500-1
525	AFC29525-1
550	AFC29550-1

8 Inch Springs

RATE	P/N
50	AFC29050-2
60	AFC29060-2
75	AFC29075-2
90	AFC29090-2
105	AFC29105-2
120	AFC29120-2
135	AFC29135-2
150	AFC29150-2

8 Inch Springs

RATE	P/N
175	AFC29175-2
200	AFC29200-2
225	AFC29225-2
275	AFC29275-2
300	AFC29300-2
325	AFC29325-2
350	AFC29350-2

AFCO 2-1/2" COIL-OVER SPRINGS



8 Inch

RATE	P/N
200	AFC28200-1
225	AFC28225-1
250	AFC28250-1
275	AFC28275-1
300	AFC28300-1
350	AFC28350-1
375	AFC28375-1
400	AFC28400-1
425	AFC28425-1
450	AFC28450-1

8 Inch

RATE	P/N
475	AFC28475-1
500	AFC28500-1
525	AFC28525-1
550	AFC28550-1
575	AFC28575-1
600	AFC28600-1
650	AFC28650-1

12 Inch

RATE	P/N
80	AFC22080
100	AFC22100
125	AFC22125
150	AFC22150
160	AFC22160
175	AFC22175
185	AFC22185
200	AFC22200
225	AFC22225
250	AFC22250
275	AFC22275
300	AFC22300
325	AFC22325
350	AFC22350
375	AFC22375

12 Inch

RATE	P/N
400	AFC22400
425	AFC22425
475	AFC22475
500	AFC22500
525	AFC22525
550	AFC22550
575	AFC22575
600	AFC22600
650	AFC22650
700	AFC22700
750	AFC22750
800	AFC22800*
850	AFC22850*

*800# IS 11.5", 850# IS 11"

10 Inch

RATE	P/N
100	AFC23100
125	AFC23125
150	AFC23150
175	AFC23175
200	AFC23200
225	AFC23225
250	AFC23250
275	AFC23275
300	AFC23300
325	AFC23325
350	AFC23350

10 Inch

RATE	P/N
375	AFC23375
400	AFC23400
425	AFC23425
450	AFC23450
475	AFC23475
500	AFC23500
525	AFC23525
550	AFC23550
575	AFC23575
600	AFC23600
650	AFC23650


14 Inch

RATE	P/N
80	AFC24080
100	AFC24100
110	AFC24110
125	AFC24125
150	AFC24150
160	AFC24160
175	AFC24175
185	AFC24185

14 Inch

RATE	P/N
200	AFC24200
225	AFC24225
250	AFC24250
275	AFC24275
300	AFC24300
325	AFC24325
350	AFC24350

EIBACH 2-1/2" COIL-OVER SPRINGS



8 Inch

RATE	P/N
425	EIB0800.250.0425
450	EIB0800.250.0450
475	EIB0800.250.0475
500	EIB0800.250.0500
525	EIB0800.250.0525

10 Inch

RATE	P/N
150	EIB1000.250.0150
175	EIB1000.250.0175
200	EIB1000.250.0200
225	EIB1000.250.0225
250	EIB1000.250.0250
275	EIB1000.250.0275
300	EIB1000.250.0300

12 Inch

RATE	P/N
80	EIB1200.250.0080
100	EIB1200.250.0100
125	EIB1200.250.0125
150	EIB1200.250.0150
165	EIB1200.250.0165
175	EIB1200.250.0175
185	EIB1200.250.0185
200	EIB1200.250.0200
225	EIB1200.250.0225
250	EIB1200.250.0250
275	EIB1200.250.0275
300	EIB1200.250.0300
325	EIB1200.250.0325
350	EIB1200.250.0350

14 Inch

RATE	P/N
125	EIB1400.250.0125
150	EIB1400.250.0150
175	EIB1400.250.0175
200	EIB1400.250.0200
250	EIB1400.250.0250
275	EIB1400.250.0275
300	EIB1400.250.0300

COIL-OVER 'ASSIST'



Take-Up Spring

[AFC27005](#)

The take-up spring keeps the assist spring in place when all of the weight is off of the assist spring




Aluminum spring floater

[BRP597](#)

Nylon spring floater

[AFC20183-1](#)

HYPERCO COIL-OVER SPRINGS



2-1/2" Coil over springs
10" tall

10" tall

RATE	P/N
150	HYP10B0150
175	HYP10B0175
200	HYP10B0200
225	HYP10B0225
250	HYP10B0250
275	HYP10B0275
300	HYP10B0300

COIL-OVER BARREL SPRINGS



AFCO

- Reduces stress levels
- Eliminates interference between coil & shock
- Will not buckle under load
- Replaces 14" standard coil over spring

13" tall barrel springs

RATE	P/N
125	AFC24125B
150	AFC24150B
160	AFC24160B
175	AFC24175B
185	AFC24185B
200	AFC24200B
225	AFC24225B
250	AFC24250B

CONVENTIONAL SPRINGS

FRONT

5-1/2" x 9-1/2"

RATE	P/N
500	AFC20500-1
550	AFC20550-1
600	AFC20600-1
650	AFC20650-1
700	AFC20700-1
750	AFC20750-1
800	AFC20800-1
850	AFC20850-1
900	AFC20900-1
950	AFC20950-1

5-1/2" x 9-1/2"

RATE	P/N
1000	AFC21000-1
1050	AFC21050-1
1100	AFC21100-1
1150	AFC21150-1
1200	AFC21200-1
1300	AFC21300-1
1400	AFC21400-1
1500	AFC21500-1
1600	AFC21600-1

5" x 9-1/2"

RATE	P/N
500	AFC20500
550	AFC20550
600	AFC20600
650	AFC20650
700	AFC20700
750	AFC20750
800	AFC20800
850	AFC20850
900	AFC20900
950	AFC20950

5" x 9-1/2"

RATE	P/N
1000	AFC21000
1050	AFC21050
1100	AFC21100
1150	AFC21150
1200	AFC21200
1250	AFC21250
1300	AFC21300
1350	AFC21350
1450	AFC21450
1600	AFC21600


REAR

5" x 11"

RATE	P/N
50	AFC25050
75	AFC25075
100	AFC25100
125	AFC25125
150	AFC25150
175	AFC25175
200	AFC25200
225	AFC25225
250	AFC25250
275	AFC25275
300	AFC25300

5" x 11"

RATE	P/N
325	AFC25325
350	AFC25350
375	AFC25375
400	AFC25400
425	AFC25425
450	AFC25450
500	AFC25500



AFCO

5" x 13"

RATE	P/N
125	AFC25125-1
150	AFC25150-1
175	AFC25175-1
200	AFC25200-1
225	AFC25225-1
250	AFC25250-1
275	AFC25275-1
300	AFC25300-1

5" x 13"

RATE	P/N
325	AFC25325-1
350	AFC25350-1
375	AFC25375-1
400	AFC25400-1
425	AFC25425-1
450	AFC25450-1

STREET STOCK SPRINGS



FRONT

- Painted black
- Stock appearing
- Fits all street stocks

5-1/2" x 11"

RATE	P/N
600	AFC20600-6
700	AFC20700-6
800	AFC20800-6
900	AFC20900-6
1000	AFC21000-6
1100	AFC21100-6
1200	AFC21200-6
1300	AFC21300-6
1400	AFC21400-6



REAR

5-1/2" x 12" coils with one pigtail end and one flat ground end

Painted black to conform to most stock appearing rules.

RATE	P/N
150	AFC25150SS
175	AFC25175SS
200	AFC25200SS
225	AFC25225SS
250	AFC25250SS
275	AFC25275SS
300	AFC25300SS



STANDARD WEIGHT JACKS

Parts

RATE	P/N
4" bolt (alum.) 1-1/8" F.	BRP6135
6" bolt (alum.) 1-1/8" F.	BRP6136
8" bolt (alum.) 1-1/8" F.	BRP6137
6" bolt (steel) 1-1/8" F.	BRP6145
8" bolt (steel) 1-1/8" F.	BRP6146
Nut 1-1/8" fine thrd.	BRP5150
5" spring seat	BRP6143
5-1/2" spring seat	BRP6144



Steel Seat Assembly

Steel Seat Assembly

ASSEMBLY (6") WITH STEEL BOLT

5" Spring	BRP6148
5-1/2" Spring	BRP6150

ASSEMBLY (8")

5" Springs	BRP6152
5-1/2" Spring	BRP6154

Aluminum Seat Assembly

Fits 5" & 5-1/2" coils

Assembly (6" alum. bolt)	BRP6155
Assembly (8" alum. bolt)	BRP6156
Spring Plate (Bare)	AFC20197R



COIL SPRING SPACER

Adjust trim to set ride height and wedge in car

- For 5" or 5-1/2" springs
- I.D. open for stock mount racing shock location

BRP5152




ADJ. COIL SPRING SPACER

Allows 2" range of height adjustment when fitting 5" or 5-1/2" springs into stock stub cars.

- Acme threads for high strength
- Trim sleeve for initial fit


REPLACEMENT NUT

BRP5151B



BRP5151

REAR SPRING SEAT



Mounts conventional coil spring on rear axle tube.

BRP5156

COIL SPRING BUCKET

Installs in frame so that racing springs and weight jacks can be used. Works with any 1-1/8" SAE jack bolt.

BRP5157



WEIGHT JACK

Made for use in conventional spring type cars using 1" coarse weight jacks.



Cup

BRP6134



Plate

BRP6133



Bolt

RATE	P/N
8 inch bolt 1" C	BRP6130
11 inch bolt 1" C	BRP6131
Plate	BRP6133
Cup	BRP6134