

15" WIDE 5 STEEL WHEELS



Steel Wide 5 Non-Bead Lock Wheels

WHEEL WIDTH	BACKSPACING	WEIGHT	P/N
10"	2"	19#	BRW 10M2
10"	3"	19#	BRW 10M3
10"	4"	19#	BRW 10M4
10"	5"	19#	BRW 10M5
12"	3"	21#	BRW 12M3
12"	4"	21#	BRW 12M4
12"	5"	21#	BRW 12M5
13"	3"	23#	BRW 13M3
13"	4"	23#	BRW 13M4
13"	5"	23#	BRW 13M5
14"	3"	24#	BRW 14M3
14"	4"	24#	BRW 14M4
14"	5"	24#	BRW 14M5

See Page 87 for Aero Wheels



Steel Wide 5 Bead Lock Wheels BEAD LOCKS NOT INCLUDED

WHEEL WIDTH	BACKSPACING	WEIGHT	P/N
10"	3"	21#	BRW 10M3B
10"	4"	21#	BRW 10M4B
10"	5"	21#	BRW 10M5B
12"	3"	24#	BRW 12M3B
12"	4"	24#	BRW 12M4B
12"	5"	24#	BRW 12M5B
13"	3"	25#	BRW 13M3B
13"	4"	25#	BRW 13M4B
13"	5"	25#	BRW 13M5B
14"	3"	26#	BRW 14M3B
14"	4"	26#	BRW 14M4B
14"	5"	26#	BRW 14M5B

See Page 86 for Bead Locks



Steel Wide 5 Bead Lock Wheels BRP 32 BEAD LOCK INCLUDED

WHEEL WIDTH	BACKSPACING	WEIGHT	P/N
10"	3"	22#	BRW 10M3BL
10"	4"	22#	BRW 10M4BL
10"	5"	22#	BRW 10M5BL
12"	3"	25#	BRW 12M3BL
12"	4"	25#	BRW 12M4BL
12"	5"	25#	BRW 12M5BL
13"	3"	26#	BRW 13M3BL
13"	4"	26#	BRW 13M4BL
13"	5"	26#	BRW 13M5BL
14"	3"	27#	BRW 14M3BL
14"	4"	27#	BRW 14M4BL
14"	5"	27#	BRW 14M5BL

See Page 86 for Replacement Beadlocks

WELD ALUMINUM WHEELS



Aluminum Wide 5 Non-Beadlock Wheels

WHEEL WIDTH	BACKSPACING	WEIGHT	P/N
10"	4"	11.54#	WEL 570-5014
10"	5"	11.57#	WEL 570-5015
12"	3"	13.41#	WEL 571-5214
12"	4"	13.44#	WEL 571-5215
12"	5"	13.44#	WEL 571-5216
13"	3"	14.10#	WEL 571-5313
13"	4"	14.12#	WEL 571-5314
13"	5"	14.15#	WEL 571-5315
14"	3"	14.12#	WEL 571-5413
14"	4"	14.58#	WEL 571-5414
14"	5"	14.91#	WEL 571-5415



Aluminum Wide 5 Wheel - Weld Beadlocks WELD BEADLOCK INCLUDED

WHEEL WIDTH	BACKSPACING	WEIGHT	P/N
10"	4"	12.98#	WEL 570-5024
10"	5"	12.90#	WEL 570-5025
12"	3"	14.67#	WEL 571-5223
12"	4"	14.74#	WEL 571-5224
12"	5"	14.78#	WEL 571-5225
13"	3"	15.43#	WEL 571-5323
13"	4"	15.46#	WEL 571-5324
13"	5"	15.48#	WEL 571-5325
14"	3"	15.46#	WEL 571-5423
14"	4"	15.92#	WEL 571-5424
14"	5"	16.24#	WEL 571-5425

WELD ALUMINUM WHEELS - BRP BEADLOCKS




Aluminum Wide 5 Wheel - BRP Beadlock BEAD LOCKS NOT INCLUDED

WHEEL WIDTH	BACKSPACING	WEIGHT	P/N
10"	4"	12.60#	WEL 10M4AB
10"	5"	12.60#	WEL 10M5AB
12"	5"	13.60#	WEL 12M5AB
12"	6"	13.60#	WEL 12M6AB
13"	3"	14.40#	WEL 13M3AB
13"	4"	14.40#	WEL 13M4AB
13"	5"	14.40#	WEL 13M5AB
14"	3"	15.00#	WEL 14M3AB
14"	4"	15.00#	WEL 14M4AB
14"	5"	15.00#	WEL 14M5AB

See Page 86 for Beadlocks


BEAD LOCK RINGS



BRP 32

Single Drilled Outer Bead Lock Rings

DESCRIPTION	P/N
1/4" Red Anodized Billet Ring (fits BRP, Reds, & Gilliam Wheels)	BRP 32
1/4" Plain Aluminum Billet Ring (fits BRP, Reds, & Gilliam Wheels)	BRP 32P
1/2" Red Anodized With Countersunk Holes (fits BRP, Reds, & Gilliam Wheels)	BRP 32C
1/2" Plain Aluminum With Countersunk Holes (fits BRP, Reds & Gilliam Wheels)	BRP 32CP



BRP 32C



BRP 32-1


1/4" Thick Single Drilled Outer Bead Lock Rings with Tabs

DESCRIPTION	P/N
1/4" Thick Red Anodized Billet Ring with tabs for BRP 33 Lexan Cover (fits BRP, Reds, & Gilliam Wheels)	BRP 32-1
1/4" Thick Plain Aluminum Billet Ring with tabs for BRP 33 Lexan Cover (fits BRP, Reds, & Gilliam Wheels)	BRP 32-1P



BRP 32-1P


Did You Know...
Double drilled bead locks fit both BRP and Weld bolt patterns. They have both bolt patterns drilled so they fit every wheel!




BRP 32WP

1/4" Thick Double Drilled Outer Bead Lock Rings

DESCRIPTION	P/N
Red Anodized Billet Ring (fits BRP, Reds, Gilliam & Weld Wheels)	BRP 32WP
Plain Aluminum Billet Ring (fits BRP, Reds, Gilliam & Weld Wheels)	BRP 32WP
Red Anodized With Tabs for Cover (fits BRP, Reds, Gilliam & Weld Wheels)	BRP 32-1WP
Plain Aluminum With Tabs for Cover (fits BRP, Reds Gilliam & Weld Wheels)	BRP 32-1WP



BRP 32-1WP



BRP 32-2

1/4" Double Drilled Mud Lock Bead Lock Rings

DESCRIPTION	P/N
Red Anodized Solid Outer Mud Lock Ring (fits BRP, Red's, Gilliam & Weld Wheels)	BRP 32-2
Plain Aluminum Solid Outer Mud Lock Ring (fits BRP, Red's Gilliam & Weld)	BRP 32-2P



BRP 33

Lexan Covers

DESCRIPTION	P/N
Clear Lexan Cover for use on BRP 32-1, BRP 32-1P, BRP 32-1W, & BRP 32-1WP	BRP 33

BEAD LOCK ASSEMBLIES

22 Bolt Drag Race Beadlocks

BRP 32822 "1"
IT HAS 22 HOLES AND BOLTS TO THE INNER BEADLOCK THAT IS WELDED TO YOUR WHEEL. IT ALSO HAS A BIGGER I.D. FOR BRAKE CALIPER CLEARANCE.

BRP 31822 "1"
THIS GETS WELDED ON TO YOUR WHEEL. IT IS AN INNER BEADLOCK FOR THE "INSIDE" OR THE INWARD FACING SIDE OF YOUR WHEEL. IT WILL HAVE A BIGGER I.D. FOR BRAKE CALIPER CLEARANCE.

BRP 31822
THIS GETS WELDED ON TO YOUR WHEEL. IT IS AN INNER BEADLOCK FOR THE "OUTSIDE" OR OUTWARD FACING SIDE OF YOUR WHEEL. THERE ARE NO CLEARANCE ISSUES SO IT HAS A STANDARD I.D.

BRP 32822
IT HAS 22 HOLES AND BOLTS TO THE INNER BEADLOCK THAT IS WELDED TO THE OUTSIDE OF YOUR WHEEL. THERE ARE NO CLEARANCE ISSUES SO IT HAS A STANDARD I.D.

DID YOU KNOW
AN "INNER" BEADLOCK MEANS IT GETS WELDED TO THE WHEEL. AN "OUTER" BEADLOCK BOLTS TO "INNER".

ANYTIME THE WORDS "INSIDE" OR "OUTSIDE" ARE USED, IT IS REFERRING TO THE INWARD FACING SIDE OR THE OUTWARD FACING SIDE OF YOUR WHEEL. OUTWARD SIDE OF YOUR WHEEL IS WHAT YOU SEE WHEN YOU LOOK AT YOUR CAR.


ALL DRAG RACE BEADLOCKS ARE TIG WELDED.

Beadlock Assemblies

DESCRIPTION	P/N
Complete Beadlock Kit for Aluminum Wheel (comes with BRP 31, BRP 32 & BRP 39)	BRP 30
Aluminum Wheel Inner Beadlock Only	BRP 31
Steel Wheel Inner Beadlock Ring Only	BRP 34
5/16" C Beadlock bolt and washer kit for 16 Bolt Beadlocks	BRP 39
5/16" C X 1 1/4" 12 Point Drag Race Beadlock Bolt Kit for 16 Bolt Beadlock	BRP 39-1

AERO RACING WHEELS

EXAMPLE: AER 52-085040



8" - Street Stock
10" - Pro Stock

BACK SPACING HALF SIZES
0 = 0
1 = 1/8"
5 = 1/2"

BACK SPACING
1 = 1"
2 = 2"
3 = 3"
4 = 4"
5 = 5"

30 Series - 13" Standard Rolled

Rim Type	Width	Bolt Circle	Offset	Color	Weight	P/N
Standard Rolled	7"	4 on 4 1/2"	2"	silver	17#	AER 30-074520
Standard Rolled	7"	4 on 4 1/2"	2"	chrome	17#	AER 30-274520

33 Series - 13" Rolled Light Beadlock

Rim Type	Width	Bolt Circle	Offset	Color	Weight	P/N
RolledLight Beadlock	7"	4 on 4 1/4"	2"	chrome	---	AER 33-274520
Rolled Light Beadlock	7"	4 on 4 1/4"	2"	silver	---	AER 33-074520

50 Series - 15" Standard Rolled

Rim Type	Width	Bolt Circle	Offset	Color	Weight	P/N
Standard Rolled	7"	5 on 4 3/4"	2"	silver	21#	AER 50-074720
Standard Rolled	7"	5 on 4 3/4"	2"	black	21#	AER 50-174720
Standard Rolled	8"	5 on 4 3/4"	2"	silver	24#	AER 50-084720
Standard Rolled	8"	5 on 4 3/4"	3"	silver	24#	AER 50-084730
Standard Rolled	8"	5 on 4 3/4"	3 1/2"	silver	24#	AER 50-084735
Standard Rolled	8"	5 on 4 3/4"	4"	silver	24#	AER 50-084740
Standard Rolled	8"	5 on 4 3/4"	2"	chrome	24#	AER 50-284720
Standard Rolled	8"	5 on 4 3/4"	3"	chrome	24#	AER 50-284730
Standard Rolled	8"	5 on 4 3/4"	4"	chrome	24#	AER 50-284740
Standard Rolled	8"	5 on 4 1/2"	3"	silver	24#	AER 50-084530
Standard Rolled	8"	5 on 4 3/4"	2"	black	24#	AER 50-184720
Standard Rolled	8"	5 on 4 3/4"	3"	black	24#	AER 50-184730
Standard Rolled	8"	5 on 4 3/4"	4"	black	24#	AER 50-184740

51 Series - 15" Spun Light

Rim Type	Width	Bolt Circle	Offset	Color	Weight	P/N
Spun Light	10"	Wide 5	2"	black	18#	AER 51-100520
Spun Light	10"	Wide 5	3"	black	18#	AER 51-100530
Spun Light	10"	Wide 5	4"	black	18#	AER 51-100540
Spun Light	10"	Wide 5	5"	black	18#	AER 51-100550

52 Series - 15" Rolled Light IMCA

Rim Type	Width	Bolt Circle	Offset	Color	Weight	P/N
Rolled Light	8"	5 on 4 3/4"	1"	silver	19#	AER 52-084710
Rolled Light	8"	5 on 4 3/4"	2"	silver	19#	AER 52-084720

53 Series - 15" Rolled Light Beadlock

Rim Type	Width	Bolt Circle	Offset	Color	Weight	P/N
Rolled Light Beadlock	10"	5 on 4 3/4"	3"	silver	26#	AER 53-004730
Rolled Light Beadlock	10"	5 on 4 3/4"	3"	chrome	26#	AER 53-204730
Rolled Light Beadlock	10"	5 on 4 3/4"	4"	silver	26#	AER 53-004740


58 Series - 15" Rolled Light

Rim Type	Width	Bolt Circle	Offset	Color	Weight	P/N
Rolled Light	10"	5 on 4 3/4"	3"	silver	22#	AER 58-004730
Rolled Light	10"	5 on 4 3/4"	4"	silver	22#	AER 58-004740
Rolled Light	10"	5 on 4 3/4"	3"	chrome	22#	AER 58-204730
Rolled Light	10"	5 on 4 3/4"	2"	chrome	22#	AER 58-204720



Steel Outer Beadlock Rings

DESCRIPTION	P/N
15" Yellow Outer Beadlock Ring	AER 54-500002
15" Chrome Outer Beadlock Ring	AER 54-500004
13" Yellow Outer Beadlock Ring	AER 54-500019
13" Black Outer Beadlock Ring	AER 54-500032



Aero Rim Wrench


DESCRIPTION	P/N
Rim Straightening Wrench	AER 54-500005

WIDE 5 WHEEL ADAPTORS



3/8" Plain Aluminum Wide 5 Wheel Adaptors

DESCRIPTION	P/N
2" Pilot hole Blank to Wide 5	BRP 136
5 on 5 1/2" to Wide 5	BRP 137
6 on 5" to Wide 5	BRP 138
6 on 5 1/2" to Wide 5	BRP 139
8 on 6 1/2" to Wide 5	BRP 140
5 on 4 1/2" to Wide 5	BRP 141
5 on 4 3/4" to Wide 5	BRP 142
5 on 5" to Wide 5	BRP 143
Replacement Wheel Stud	BRP 2060




1/2" Red Anodized Wide 5 Aluminum Wheel Adaptors

DESCRIPTION	P/N
5 on 5" to Wide 5	BRP 128
6 on 5" to Wide 5	BRP 129
Lightweight 6 on 5" to Wide 5	BRP 130
Lightweight 5 on 4 1/2", 5 on 4 3/4" & 5 on 5" Multi-Hole adaptor to Wide 5	BRP 131
6 on 5 1/2" to Wide 5	BRP 132
5 on 5 1/2" to Wide 5	BRP 133
Replacement Wheel Stud	BRP 2060

5/8" Red Anodized Wide 5 Aluminum Wheel Adaptors

DESCRIPTION	P/N
6 on 5" to Wide 5	BRP 135

6 ON 5" / 5 ON 5" WHEEL SPACERS



Did You Know...
 These wheel spacers will work on both 6 on 5" and 5 on 5" bolt patterns!

DESCRIPTION	P/N
1/2" Thick	BRP 149
3/8" Thick	BRP 150
1/4" Thick	BRP 150-2
5/16" Thick	BRP 150-3

WIDE 5 WHEEL SPACERS



NEW PRODUCT



Billet Aluminum Wheel Spacers

DESCRIPTION	P/N
1/4" Thick Wide 5 Spacer	BRP 148
3/8" Thick Wide 5 Spacer	BRP 151
1/2" Thick Wide 5 Spacer	BRP 152
1/4" Thick Spacer (sold each) 5 required per wheel	BRP 768



Billet Aluminum Wheel Spacers

DESCRIPTION	WEIGHT	P/N
1" Wide 5 Aluminum Wheel Spacer	3.4#	BRP 156
1 1/2" Wide 5 Aluminum Wheel Spacer	4.8#	BRP 154
2" Wide 5 Aluminum Wheel Spacer	4.7#	BRP 155
1" Wide 5 Wheel Spacer (includes 5 shortened studs for hub when 10 hole wheel is used)	3.4#	BRP 153
1" Wide 5 Wheel Spacer for 15 hole Wheels	3.3#	BRP 157

Wilwood Aluminum Wheel Spacer


DESCRIPTION	P/N
2" Wide 5 Wheel Spacer	WIL 270-2189C

FOAM MUD PLUGS



DESCRIPTION	P/N
5" Thick Black Foam	ALL 44150
5" Thick Red Foam	ALL 44151
5" Thick Blue Foam	ALL 44152
5" Thick Yellow Foam	ALL 44154
5" Thick Purple Foam	ALL 44155
High Density Black Foam	CSL 1900

ACCESSORIES



DESCRIPTION	P/N
Brass Valve Stem	BRP 41
5/16" C Bolt Kit (16 grade 8 bolts and washers)	BRP 39
Tire Tape Measure	BRP 40